

<b>DOCUMENT #:</b> <b>QC-209</b>	 <b>BAL SEAL</b> <b>ENGINEERING</b> <small>BY KAMAN</small>	<b>CLASSIFICATION:</b> Proprietary
<b>REVISION:</b> <b>E</b>	19650 Pauling – Foothill Ranch, CA 92610-2610 Tel: (949) 460-2100 Fax: (949) 460-2300	<b>REPORT #:</b> N/A
<b>INITIAL RELEASE DATE:</b> 12-Feb-98	<b>DOCUMENT TITLE:</b> <b>SUPPLIER QUALITY REQUIREMENTS</b>	<b>PAGES:</b> 1 of 14

The latest revision of this document can be found in the online document control system.

REV.	DESCRIPTION OF CHANGE	AUTHOR (Full Name)	DATE RELEASED
NC	New document	Michael Goodyear	02-Dec-1998
A	Added ozone depleting substances free certification information	CN	14-Dec-2001
B	Revised to include change in supplier location and updates to supplier quality assurance system	John Tucker Greg Manhart	30-Apr-2015
C	Complete rewrite	Mike Watters	25-Sep-17
D	<ul style="list-style-type: none"> <li>- Updated title; WAS: Supplier Quality Assurance Requirements Manual (document), Supplier Quality Assurance System Requirements Manual (Agile).</li> <li>- Updated document category; WAS: Quality Control</li> <li>- Reorganization of content</li> <li>- Added certification requirements: ISO 9001 for raw material, NADCAP for OSP, and ISO 17025 for calibration (7.3.2).</li> <li>- Updated CAR acknowledgment period from 24 to 2 business days (7.9.3).</li> <li>- Updated CAR plan development period from 10 to 15 business days (7.9.3).</li> <li>- Added expired record disposition (7.16.3).</li> </ul>	Jacob Bergstrom	28-Feb-24
<b>E</b>	<ul style="list-style-type: none"> <li>- <b>Added Document supplier access to facility and documents per AS9100 8.4.3</b></li> <li>- <b>Added Country of Origin requirements to CofC / CofA</b></li> <li>- <b>Added Prohibition of Russian material</b></li> </ul>	<b>Greg Manhart</b>	<b>21-Aug-25</b>

Document Category: Quality Assurance

This document contains information PROPRIETARY to Bal Seal Engineering and may not be used, reproduced, copied, published, distributed in any form, or disclosed to a third party, in whole or in part, without the written authorization of an officer of Bal Seal Engineering.

© 2025 Bal Seal Engineering  
www.balseal.com

O-1121-Y

DOCUMENT #: <b>QC-209</b>	 <b>BAL SEAL ENGINEERING</b> BY KAMAN	CLASSIFICATION: Proprietary
REVISION: <b>E</b>	19650 Pauling – Foothill Ranch, CA 92610-2610 Tel: (949) 460-2100 Fax: (949) 460-2300	REPORT #: N/A
INITIAL RELEASE DATE: 12-Feb-98	DOCUMENT TITLE:  <b>SUPPLIER QUALITY REQUIREMENTS</b>	PAGES: 2 of 14

The latest revision of this document can be found in the online document control system.

1. **OVERVIEW:** Bal Seal Engineering delivers innovative, custom-engineered sealing, connecting, conducting, and EMI shielding and grounding solutions. Our quality policy ensures products and services meet or exceed customer expectations through continuous improvement, customer satisfaction, on-time delivery, and first-time quality.
2. **PURPOSE:** This manual outlines core supplier quality management system requirements, processes, and manufacturing controls for suppliers serving Bal Seal's diverse markets, including industrial, automotive, aerospace, defense, analytical, energy management, medical devices, and medical electronics.
3. **SCOPE:** This manual applies to all suppliers providing materials, products, processes, and services for product realization, including sub-tier suppliers when applicable. These requirements do not supersede conflicting terms in Bal Seal contracts, purchase orders, drawings, engineering or process specifications, or long-term agreements. For questions, contact Bal Seal's purchasing or quality assurance team.
4. **RESPONSIBILITY:**
  - 4.1. **The supplier** is responsible for compliance to all applicable sections of this document.
  - 4.2. **The Bal Seal Quality Assurance Department** is responsible for the maintenance of this document.
  - 4.3. **The Bal Seal Purchasing Department** is responsible for communicating the requirements of this document to the supplier.
  - 4.4. **The Bal Seal Purchasing and Quality Assurance departments** share responsibility for supplier approval, monitoring, performance review, and status changes of suppliers.
5. **DEFINITIONS:**
  - AQL** – Acceptable Quality Level
  - CAR** – Corrective Action Request
  - DCMA** – Defense Contract Management Agency
  - DMR** – Discrepant Material Report
  - IQ/OQ/PQ** – Installation Qualification, Operational Qualification, Process Qualification. Referenced in ISO 13485, Medical devices -- Quality management systems -- Requirements for regulatory purposes.

This document contains information PROPRIETARY to Bal Seal Engineering and may not be used, reproduced, copied, published, distributed in any form, or disclosed to a third party, in whole or in part, without the written authorization of an officer of Bal Seal Engineering.

© 2025 Bal Seal Engineering  
www.balseal.com

O-1121-Y

<b>DOCUMENT #:</b> <b>QC-209</b>	 <b>BAL SEAL</b> <b>ENGINEERING</b> <small>BY KAMAN</small>	<b>CLASSIFICATION:</b> Proprietary
<b>REVISION:</b> <b>E</b>	19650 Pauling – Foothill Ranch, CA 92610-2610 Tel: (949) 460-2100 Fax: (949) 460-2300	<b>REPORT #:</b> N/A
<b>INITIAL RELEASE DATE:</b> 12-Feb-98	<b>DOCUMENT TITLE:</b>  <b>SUPPLIER QUALITY REQUIREMENTS</b>	<b>PAGES:</b> 3 of 14

The latest revision of this document can be found in the online document control system.

**PPAP** – Production Part Approval Process. Referenced in IATF 16949, Automotive Quality Management System Standard.

## 6. REFERENCE DOCUMENTS:

Document	Document Title	Available From
ANSI/NCSL Z540.3	Requirements for the Calibration of Metrology and Test Equipment	www.ansi.org
AS6174	Counterfeit Materiel; Assuring Acquisition of Authentic and Conforming Materiel	www.sae.org, www.asd-stan.org
AS9100	Quality Management Systems - Requirements for Aviation, Space, and Defense Organizations	www.sae.org, www.asd-stan.org
FMEA	Potential Failure Mode & Effects Analysis Manual	www.ansi.org, www.aiag.org
ISO 13485	Quality Management System Requirements (Medical)	www.ansi.org, www.iso.ch
ISO 9001	Quality Management System Requirements (General)	www.ansi.org, www.iso.ch
ISO/IEC 17205	General Requirements for the Competence of Testing and Calibration Laboratories	www.ansi.org, www.iso.ch
IATF 16949	Automotive Quality Management System Standard	www.ansi.org
LE-170	Bal Seal Mutual Non-Disclosure Agreement	Bal Seal Purchasing
LE-188	Bal Seal Terms and Conditions of Purchase	Bal Seal Purchasing
MSA	Measurement System Analysis Manual	www.ansi.org
PPAP	Production Part Approval Process Manual	www.ansi.org
SPC	Statistical Process Control Manual	www.ansi.org

## 7. SUPPLIER QUALITY MANAGEMENT SYSTEM REQUIREMENTS

### 7.1. Supplier Conduct

7.1.1. Ethical and Legal Responsibilities - Suppliers shall operate lawfully and ethically, ensuring compliance with their environmental, social, and legal responsibilities.

This document contains information PROPRIETARY to Bal Seal Engineering and may not be used, reproduced, copied, published, distributed in any form, or disclosed to a third party, in whole or in part, without the written authorization of an officer of Bal Seal Engineering.

© 2025 Bal Seal Engineering  
www.balseal.com

O-1121-Y

DOCUMENT #: <b>QC-209</b>	 <b>BAL SEAL</b> <b>ENGINEERING</b> BY KAMAN	CLASSIFICATION: Proprietary
REVISION: <b>E</b>	19650 Pauling – Foothill Ranch, CA 92610-2610 Tel: (949) 460-2100 Fax: (949) 460-2300	REPORT #: N/A
INITIAL RELEASE DATE: 12-Feb-98	DOCUMENT TITLE: <b>SUPPLIER QUALITY REQUIREMENTS</b>	PAGES: 4 of 14

The latest revision of this document can be found in the online document control system.

- 7.1.2. Compliance with Laws - Suppliers must adhere to all applicable local, state, and federal laws and regulations in their country of origin and related facilities.
- 7.1.3. Environmental, Health, and Safety Standards - Suppliers shall maintain manufacturing facilities and processes in compliance with environmental, health, and safety laws and regulations in their country of origin.
- 7.1.4. Employee Awareness - Suppliers shall ensure employees are informed of these requirements and their role in ensuring product and service conformity.

**7.2. Confidentiality:** Reference LE-188, Terms and Conditions of Purchase.

### 7.3. Supplier Approval

- 7.3.1. Bal Seal requires all products and service suppliers to be approved prior to the issuance of contracts/purchase orders. All suppliers shall be approved by Bal Seal, regardless of approvals by its customers or other entities.
- 7.3.2. QMS systems certified to ISO 9001, ISO/IATF 16949, AS9100, ISO 13485, ISO 17025, NADCAP are preferred and in some instances required by Bal Seal. These requirements do not apply to customer-specified suppliers.
  - 7.3.2.1. Raw material suppliers shall have a minimum of ISO 9001 certification.
  - 7.3.2.2. Plating and passivation suppliers shall have NADCAP certification for the process provided.
  - 7.3.2.3. Calibration suppliers shall be certified to ISO 17025 for the service provided.

**Note:** OEMs (Original Equipment Manufacturer) providing calibration service to Bal Seal are not required to be certified to ISO 17025. They shall perform calibration against measurement standards that are traceable to international or national measurement standards; where no such standards exist, the basis used for calibration or verification shall be recorded.

- 7.3.3. The supplier approval process may include the following, as determined by Bal Seal Quality Assurance Department:
  - Supplier Initial Assessment – Bal Seal may request the supplier to provide a copy of their quality management system certificate and Quality Manual and/or complete a self-assessment of its business and quality management system and capabilities (i.e., quality, delivery, technology, cost, and continuous improvement objectives).

<b>DOCUMENT #:</b> <b>QC-209</b>	 <b>BAL SEAL</b> <b>ENGINEERING</b> <small>BY KAMAN</small>	<b>CLASSIFICATION:</b> Proprietary
<b>REVISION:</b> <b>E</b>	19650 Pauling – Foothill Ranch, CA 92610-2610 Tel: (949) 460-2100 Fax: (949) 460-2300	<b>REPORT #:</b> N/A
<b>INITIAL RELEASE DATE:</b> 12-Feb-98	<b>DOCUMENT TITLE:</b>  <b>SUPPLIER QUALITY REQUIREMENTS</b>	<b>PAGES:</b> 5 of 14

The latest revision of this document can be found in the online document control system.

- On-Site Assessment Audit – Due to product/process complexity or criticality, or nonconformance history, Bal Seal and/or its customers may conduct on-site assessments of a Supplier’s product, process capabilities and effectiveness these individual or combined controls. These assessments could include any QMS requirements.

#### **7.4. Raw Material Lot Control**

- 7.4.1. Unless otherwise specified in the contract/purchase order or specifically approved in writing by Bal Seal Quality Assurance Department, only one raw material lot can be used per production lot/batch.
- 7.4.2. The supplier shall ensure, document and furnish complete traceability of product to the raw material certification/test report representing raw material from which the products were manufactured. Traceability shall be provided by identifying the raw material heat, lot, batch or melt number from the certification/test report on the product and/or on packaging (when used), or the product must be segregated and identified individually.

#### **7.5. Shelf-Life Control**

- 7.5.1. Materials – With each delivery of materials or products that have a limited or specified shelf life, the supplier shall furnish data that clearly shows (a) the cure or manufacture date, (b) expiration date or shelf life, (c) lot or batch number, and when applicable any special handling or storage requirements.
- 7.5.2. Unless otherwise specified by contract, for all shelf-life limited materials (e.g. Elastomeric materials, etc ...) and products delivered to Bal Seal, the remaining shelf life shall be a minimum of 80% of the total shelf life for the material.

#### **7.6. Conflict Minerals**

- 7.6.1. Bal Seal is committed to ensuring that products sold do not incorporate “conflict minerals” (minerals that are smelted into tin, tantalum, tungsten, and/or gold) sourced from entities that directly or indirectly finance conflict in the Democratic Republic of the Congo or other embargoed locations. Bal Seal intends to fully comply with the requirements of Section 1502 of the Dodd-Frank Act in order to support its customers’ requirements.
- 7.6.2. The supplier shall perform sufficient due diligence into its respective supply chains to determine whether products sold to Bal Seal contain tin, tungsten, or gold, and if so, whether and to what extent those metals are sourced from conflict-free smelters.

DOCUMENT #: <b>QC-209</b>	 <b>BAL SEAL ENGINEERING</b> BY KAMAN	CLASSIFICATION: Proprietary
REVISION: <b>E</b>	19650 Pauling – Foothill Ranch, CA 92610-2610 Tel: (949) 460-2100 Fax: (949) 460-2300	REPORT #: N/A
INITIAL RELEASE DATE: 12-Feb-98	DOCUMENT TITLE:  <b>SUPPLIER QUALITY REQUIREMENTS</b>	PAGES: 6 of 14

The latest revision of this document can be found in the online document control system.

- 7.6.3. The supplier shall report to Bal Seal the results of such due diligence on the Conflict Minerals Reporting Template or other agreed format, to enable Bal Seal to comply with its customers' requirements.
- 7.6.4. The supplier shall commit to being or becoming "conflict-free", so any such metals are sourced only from conflict-free smelters.

### 7.7. Counterfeit Parts

- 7.7.1. The supplier shall have a documented process for the avoidance, detection, mitigation, and disposition processes to prevent counterfeit materials, and/or parts from being delivered to Bal Seal. The supplier, as applicable, shall pass down these requirements to their lower tier subcontracts for the delivery of items that will be included in or furnished as materials/parts to Bal Seal.
- 7.7.2. The supplier shall ensure their Counterfeit Parts/Material Prevention process/procedure includes training of applicable personnel to the requirements within the procedure. The procedure should support the requirements of AS9100 and AS6174.
- 7.7.3. The supplier shall only purchase products to be delivered or incorporated as goods to Bal Seal directly from the Original Component Manufacturer (OCM)/Original Equipment Manufacturer (OEM), OCM/OEM authorized distributor chain, aftermarket manufacturer, or authorized reseller. These materials/parts shall have verification documentation that are traceable to OCM/OEM; OCM/OEM authorized distributor chain, aftermarket manufacturer, or authorized reseller that identifies the name and location of all the supply chain intermediaries from the part manufacturer to the direct source of the product. If materials/parts can only be acquired from independent distributors or brokers in cases of diminishing material supply (DMS) or obsolescence, written notice shall be provided to the Bal Seal Quality Engineer and Buyer prior to procurement of these goods. After supplier receives written approval by Bal Seal, goods may be subjected to testing and screening process, appropriate to the commodity, using a Bal Seal approved method or third-party laboratory. Records of evidentiary tests and inspections performed that ensure verification of the goods shall be provided to Bal Seal for review and approval by Bal Seal at delivery. Written notice is not required for raw material and standard hardware purchased from independent distributors or brokers, but products must be able to provide commodity level traceability to the OCM/OEM.
- 7.7.4. Supplier shall provide notification to Bal Seal Quality Engineer and/or Buyer if supplier becomes aware or suspects that it has furnished counterfeit goods within two (2) business days. The supplier shall provide to Bal Seal Quality Engineer and/or Buyer, upon request, the supply chain traceability to an original manufacturer or authorized distributor chain that identifies the name and location of all the supply chain intermediaries from the part

This document contains information PROPRIETARY to Bal Seal Engineering and may not be used, reproduced, copied, published, distributed in any form, or disclosed to a third party, in whole or in part, without the written authorization of an officer of Bal Seal Engineering.

© 2025 Bal Seal Engineering  
www.balseal.com

DOCUMENT #: <b>QC-209</b>	 <b>BAL SEAL ENGINEERING</b> BY KAMAN	CLASSIFICATION: Proprietary
REVISION: <b>E</b>	19650 Pauling – Foothill Ranch, CA 92610-2610 Tel: (949) 460-2100 Fax: (949) 460-2300	REPORT #: N/A
INITIAL RELEASE DATE: 12-Feb-98	DOCUMENT TITLE:  <b>SUPPLIER QUALITY REQUIREMENTS</b>	PAGES: 7 of 14

The latest revision of this document can be found in the online document control system.

manufacturer to the direct source of the product. The supplier shall have a documented process in place to ensure counterfeit goods are contained and do not reenter the supply chain.

### **7.8. Prohibition of Russian-Origin Materials**

**7.8.1. Suppliers shall not provide any products, components, or raw materials that are sourced from, processed in, or contain content originating from the Russian Federation. This includes, but is not limited to, metals such as titanium, aluminum, and steel. Suppliers are responsible for conducting due diligence across their supply chains to ensure compliance with this requirement. Upon request, suppliers must provide documentation verifying the origin of materials.**

### **7.9. Control and Disposition of Nonconforming Material**

- 7.9.1. The supplier shall establish and implement a documented process to control nonconforming material and product.
- 7.9.2. The supplier shall not knowingly ship product that deviates from the drawing, specification limits, or design intent without prior written authorization from the Bal Seal Buyer. If such a condition exists, the supplier may petition the Bal Seal Buyer, in writing, to allow shipment of the product under a written nonconformance deviation. If requested by the Bal Seal Buyer, the supplier shall send samples of such nonconforming items to Bal Seal for evaluation.
- 7.9.3. The cost of shipping, inspection, and testing to determine the potential acceptability of such product will be the supplier's sole responsibility.
- 7.9.4. Parts shipped to Bal Seal with approved deviations must be clearly labeled as such on the external packaging and shipping documentation. Each package must also include a copy of the Bal Seal-approved deviation document inside.
- 7.9.5. Bal Seal approval of a deviation is specific to the products for which it has been submitted and approved and shall not to be construed as a permanent engineering change.
- 7.9.6. The supplier shall begin work immediately on root cause corrective action identification and process improvement to eliminate future occurrence of nonconforming product.
- 7.9.7. Nonconforming product identified by Bal Seal at its location(s) may be returned to the supplier and dispositioned as mutually agreed to both Bal Seal and supplier.

<b>DOCUMENT #:</b> <b>QC-209</b>	 <b>BAL SEAL</b> <b>ENGINEERING</b> <small>BY KAMAN</small>	<b>CLASSIFICATION:</b> Proprietary
<b>REVISION:</b> <b>E</b>	19650 Pauling – Foothill Ranch, CA 92610-2610 Tel: (949) 460-2100 Fax: (949) 460-2300	<b>REPORT #:</b> N/A
<b>INITIAL RELEASE DATE:</b> 12-Feb-98	<b>DOCUMENT TITLE:</b>  <b>SUPPLIER QUALITY REQUIREMENTS</b>	<b>PAGES:</b> 8 of 14

The latest revision of this document can be found in the online document control system.

## 7.10. Corrective Action Requests

7.10.1. Bal Seal may issue a request for a corrective action report to the supplier when nonconforming material, components, or assemblies are found. When a formal reply is requested, the supplier shall use the corrective action request form supplied by Bal Seal or its own equivalent format.

7.10.2. When documenting the root cause, the supplier shall include the underlying reasons:

- a) why the specific nonconforming condition or incident occurred,
- b) why it was not detected by the supplier's quality controls, and
- c) why the related process, from a systemic viewpoint, allowed the nonconformance (and potentially others like it) to occur.

7.10.3. The supplier shall respond to the corrective action request as follows:

- Within 2 business days, acknowledge receipt of the CAR, communicate to Bal Seal containment actions taken, and identify all suspect product in-process, in stock, in transit, and potentially at Bal Seal by lot number, and quantity.
- Within 15 business days, the supplier shall submit the corrective action plan indicating the actions to be taken to correct the nonconformity, prevent recurrence of similar nonconformities, and the applicable effectivity dates. If a longer time period is needed, the supplier may request an extension from Bal Seal.

## 7.11. Change Control of Approved Processes

7.11.1. The supplier shall not change any of their drawings, processes, material sources or procedures that were originally subjected to Bal Seal approval without the written authorization from the Bal Seal Purchasing department. This includes substantial changes to facilities and equipment.

7.11.2. The supplier shall notify Bal Seal in writing (a minimum of 90 days when practical), in advance of a change.

7.11.3. Bal Seal may require a first article inspection report or PPAP for change approval. Bal Seal quality engineering will provide detailed requirements when applicable (see section 8.7).

DOCUMENT #: <b>QC-209</b>	 <b>BAL SEAL</b> <b>ENGINEERING</b> BY KAMAN	CLASSIFICATION: Proprietary
REVISION: <b>E</b>	19650 Pauling – Foothill Ranch, CA 92610-2610 Tel: (949) 460-2100 Fax: (949) 460-2300	REPORT #: N/A
INITIAL RELEASE DATE: 12-Feb-98	DOCUMENT TITLE: <b>SUPPLIER QUALITY REQUIREMENTS</b>	PAGES: 9 of 14

The latest revision of this document can be found in the online document control system.

## 7.12. Change in Supplier Location

The supplier shall notify Bal Seal in writing (a minimum of 90 days or when legally allowed), in advance of any sale, relocation, or transfer of supplier's production or service operations. The supplier shall include the following, as a minimum, in the written notification:

- Purpose of the relocation,
- Address of the new location(s),
- Assessment of actual or potential impact to current POs,
- Risk mitigation plan to ensure compliance to existing requirements,
- Plan defining the identification, storage, protection, retrieval and retention of records,
- Master schedule and timeline of relocation activities

**7.13. Bal Seal Designated Source:** Where specified by contract, the supplier shall purchase products, materials or services from Bal Seal designated sources. However, the supplier is responsible to ensure that items procured from such sources meet all applicable technical and quality requirements.

## 7.14. Control of Sub-tier Suppliers

7.14.1. The supplier, as the recipient of the contract, is responsible for meeting all requirements, including work performed by the supplier's sub-tier suppliers (also known as sub-suppliers or subcontract suppliers). When the supplier uses sub-tier suppliers to perform work on products and/or services scheduled for delivery to Bal Seal, the supplier shall include (flow-down) on contracts to its sub-tier sources all of the applicable technical and quality requirements contained in the Bal Seal contract including quality system requirements, regulatory requirements, the use of Bal Seal designated sources, the requirement to document and control 'key characteristics' and/or 'key processes, and to furnish certifications and test reports as required.

7.14.2. Approval per LE-188 (Terms and Conditions of Purchase) is required before any information regulated by the Bal Seal/supplier nondisclosure agreement can be communicated to a sub-tier supplier.

**7.15. Preventive Maintenance:** The supplier shall identify key process equipment, utilities, environment controls and provide for periodic maintenance. Records of such activities shall be maintained.

## 7.16. Calibration System

7.16.1. The supplier shall establish, document, and maintain a measurement management system which meets the requirements of either ANSI/NCSL Z540.3 or ISO/IEC 17025.

This document contains information PROPRIETARY to Bal Seal Engineering and may not be used, reproduced, copied, published, distributed in any form, or disclosed to a third party, in whole or in part, without the written authorization of an officer of Bal Seal Engineering.

© 2025 Bal Seal Engineering  
www.balseal.com

<b>DOCUMENT #:</b> <b>QC-209</b>	 <b>BAL SEAL</b> <b>ENGINEERING</b> <small>BY KAMAN</small>	<b>CLASSIFICATION:</b> Proprietary
<b>REVISION:</b> <b>E</b>	19650 Pauling – Foothill Ranch, CA 92610-2610 Tel: (949) 460-2100 Fax: (949) 460-2300	<b>REPORT #:</b> N/A
<b>INITIAL RELEASE DATE:</b> 12-Feb-98	<b>DOCUMENT TITLE:</b> <b>SUPPLIER QUALITY REQUIREMENTS</b>	<b>PAGES:</b> 10 of 14

The latest revision of this document can be found in the online document control system.

7.16.2. Measuring equipment must be calibrated at specified intervals or before use, using measurement standards traceable to international or national standards. If no such standards exist, the basis for calibration or verification must be documented.

7.16.3. Measuring equipment shall be identified to enable the calibration status to be determined.

7.16.4. Alternative methods, gauges, or standards may be used at Bal Seal to verify the Supplier's inspection results. Bal Seal may request the supplier to participate in a correlation study to compare supplier measurement results against results obtained by Bal Seal gauges and methods.

### 7.17. Record Retention

7.17.1. Records of materials, processes and tests shall be maintained on file for a minimum of 15 years after the last delivery of products and/or services on the contract. Contractual/purchase order requirements may increase this retention period.

7.17.2. Upon request, the supplier shall be capable of retrieving and delivering required records to Bal Seal within forty-eight hours from time of request by Bal Seal.

7.17.3. After the retention period, the supplier may destroy or retain Bal Seal records in accordance with its own procedures.

## 8. SUPPLIER CONTRACTUAL REQUIREMENTS

### 8.1. Contract Review

8.1.1. Upon accepting a Bal Seal contract/purchase order, the supplier is responsible for compliance to all contract (e.g., engineering drawing, specification, purchase order, etc.) requirements. All changes will be documented on a purchase order amendment.

8.1.2. All documents, drawings and specifications, regardless of origin, are applicable to the supplier when specified in the contract or documents referenced in the contract, and are required to be used at all levels of the supply chain.

8.1.3. Unless otherwise specified in the contract, the document revision in effect on the date of issue of the contract applies to the contract.

8.1.4. Neither audit, surveillance, inspection nor tests made by Bal Seal, representatives of Bal Seal or its customer(s), at the supplier's facilities, at any sub-tier facilities, or upon receipt at Bal Seal, relieves the supplier of the responsibility to furnish acceptable products or

DOCUMENT #: <b>QC-209</b>	 <b>BAL SEAL ENGINEERING</b> BY KAMAN	CLASSIFICATION: Proprietary
REVISION: <b>E</b>	19650 Pauling – Foothill Ranch, CA 92610-2610 Tel: (949) 460-2100 Fax: (949) 460-2300	REPORT #: N/A
INITIAL RELEASE DATE: 12-Feb-98	DOCUMENT TITLE: <b>SUPPLIER QUALITY REQUIREMENTS</b>	PAGES: 11 of 14

The latest revision of this document can be found in the online document control system.

services that conform to all contract requirements; nor does it preclude subsequent rejection by Bal Seal.

## 8.2. Right of Access

8.2.1. ***Subject to proprietary considerations, the supplier shall grant the right of access to the organization, its customers, and regulatory authorities to all applicable areas of the facilities, at any level of the supply chain, involved in the order, and to all applicable documented information. This access is for the purpose of verifying compliance with contractual requirements, quality standards, and regulatory obligations.***

## 8.3. Material Handling

8.3.1. Material shall be handled in such a way as to prevent damage, contamination, corrosion, or any other defect.

8.3.2. Plated or passivated parts shall be handled with Nitrile (non-Latex) gloves.

## 8.4. Product Inspection

8.4.1. Product inspection requirements, including magnification, may be detailed on the purchase order or engineering documentation.

8.4.2. The supplier is responsible to develop or obtain gages and standards to adequately control its processes and to determine product conformance to specifications. Acceptable gauge minimum accuracy ratio is 4:1. Variable gages and measurements are preferred.

8.4.3. Product and Material Quality – sampling inspection: The supplier is responsible for 100% verified quality for all items delivered to Bal Seal. When the supplier elects to use statistical methods for the acceptance of products or processes, such methods shall comply with the requirements established by DCMA, and in all cases the sample sizes shall be 1.0 or higher unless otherwise specified. The criteria for lot acceptance as zero (i.e., c=0). A copy of the supplier's statistical process control plan shall be furnished to Bal Seal upon request.

## 8.5. Packaging

8.5.1. The supplier shall adequately plan for packaging designed to prevent product contamination, deterioration or loss and to eliminate shipping damage.

DOCUMENT #: <b>QC-209</b>	 <b>BAL SEAL ENGINEERING</b> BY KAMAN	CLASSIFICATION: Proprietary
REVISION: <b>E</b>	19650 Pauling – Foothill Ranch, CA 92610-2610 Tel: (949) 460-2100 Fax: (949) 460-2300	REPORT #: N/A
INITIAL RELEASE DATE: 12-Feb-98	DOCUMENT TITLE: <b>SUPPLIER QUALITY REQUIREMENTS</b>	PAGES: 12 of 14

The latest revision of this document can be found in the online document control system.

- 8.5.2. Packaging, packaging materials, handling and shipping of items shall be in accordance with the contract/purchase order, or when not specified, in accordance with best commercial practices to prevent damage, deterioration, and to maintain the quality of the product and/or material while in transit and storage.
- 8.5.3. To prevent product damage, packaging shall secure the product from moving and rubbing against itself during shipment.
- 8.5.4. ***Packaging where possible should be of recycled or recyclable materials.***

## 8.6. Certification and Test Reports

- 8.6.1. CERTIFICATE OF CONFORMANCE: The supplier shall provide a certificate of conformance (or applicable) indicating that the material(s) or service(s) provided against the contract/purchase order meet all applicable requirements. All certifications, reports, and documents shall be legible and reproducible, and shall contain the following, as a minimum:
- Purchase order number
  - Part name, number, revision and quantity
  - Lot Number(s)
  - Applicable specification number(s), with revision level(s)
  - Signature and date of an authorized representative
  - Cure date (for elastomeric items) Use format “quarter, year” Example: “3Q98”
  - ***Country of Origin (COO)***
- 8.6.2. ***COUNTRY OF ORIGIN: Suppliers shall provide the Country of Origin (COO) for all products, components, and materials delivered. COO information must be based on the location where the product underwent its last substantial transformation, in accordance with applicable customs regulations. Documentation supporting COO must be made available upon request. Suppliers are responsible for ensuring that COO declarations are accurate and traceable throughout the supply chain.***
- 8.6.3. RAW MATERIAL CERTIFICATIONS: A physical and chemical report from the mill source indicating quantitative values of ingredients and referencing applicable specifications is required.
- 8.6.4. MERCURY-FREE CERTIFICATION: By providing material under this purchase order requirement, the supplier certifies that all material supplied has not come into contact with, been exposed to, or contains any form of mercury.

<b>DOCUMENT #:</b> <b>QC-209</b>	 <b>BAL SEAL</b> <b>ENGINEERING</b> <small>BY KAMAN</small>	<b>CLASSIFICATION:</b> Proprietary
<b>REVISION:</b> <b>E</b>	19650 Pauling – Foothill Ranch, CA 92610-2610 Tel: (949) 460-2100 Fax: (949) 460-2300	<b>REPORT #:</b> N/A
<b>INITIAL RELEASE DATE:</b> 12-Feb-98	<b>DOCUMENT TITLE:</b>  <b>SUPPLIER QUALITY REQUIREMENTS</b>	<b>PAGES:</b> 13 of 14

The latest revision of this document can be found in the online document control system.

8.6.5. **OZONE DEPLETING SUBSTANCES-FREE CERTIFICATION:** By providing material under this purchase order requirement, the supplier certifies that the materials supplied to Bal Seal comply with the European Parliament Directive (EU) 2015/863 amendment of Directive 2011/65/EU on the restrictions of use of certain hazardous substances.

8.6.6. **RoHS CERTIFICATION:** By providing material under this purchase order requirement, the supplier certifies that the materials supplied to Bal Seal complies with the restrictions for Lead (Pb), Mercury (Hg), Cadmium (Cd), Hexavalent chromium (Cr6+), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ether (PBDE) as defined by the European Union.

## 8.7. Production and Process Approval Process

8.7.1. A First Article Inspection (FAI), PPAP process (IATF 16949), or IQ/OQ/PQ (ISO 13485) process may be required to initially qualify a part and/or process for supplier approval.

8.7.2. When required, FAI, PPAP, or IQ/OQ/PQ instructions and format will be supplied by Bal Seal quality engineering.

8.7.3. When a PPAP or IQ/OQ/PQ is required, the supplier shall:

- Develop a control plan by identifying special product and process characteristics that are key to achieving quality. The supplier shall also include those special characteristics designated by Bal Seal in the drawing, specification, or contract. Where specified in the control plan, the supplier is required to apply effective statistical process controls. Instructions and format for control plans will be supplied by Bal Seal quality engineering.
- Develop a visual diagram (flow chart) of the proposed or current process. This diagram shall clearly describe the production process steps and sequence, and meet the specified Bal Seal needs, requirements and expectations.
- Develop a process FMEA in accordance with, and compliant to, Bal Seal-specified requirements. A single process FMEA may be applied to a process manufacturing a family of similar parts or materials if reviewed for commonality by the supplier.
- (If the supplier has product design responsibility) develop a design FMEA in accordance with, and compliant to Bal Seal-specified requirements. A single design FMEA may be applied to a family of similar parts or materials.
- Perform measurement systems analysis (MSA) studies, e.g., gauge repeatability & reproducibility, bias, linearity, stability, for all new or modified gauges, measurement, and test equipment. See AIAG MSA Manual for more information.

<b>DOCUMENT #:</b> <b>QC-209</b>	 <b>BAL SEAL</b> <b>ENGINEERING</b> <small>BY KAMAN</small>	<b>CLASSIFICATION:</b> Proprietary
<b>REVISION:</b> <b>E</b>	19650 Pauling – Foothill Ranch, CA 92610-2610 Tel: (949) 460-2100 Fax: (949) 460-2300	<b>REPORT #:</b> N/A
<b>INITIAL RELEASE DATE:</b> 12-Feb-98	<b>DOCUMENT TITLE:</b> <b>SUPPLIER QUALITY REQUIREMENTS</b>	<b>PAGES:</b> 14 of 14

The latest revision of this document can be found in the online document control system.

## 9. SUPPLIER PERFORMANCE

- 9.1. Bal Seal's supplier evaluation system uses several factors to develop an overall supplier performance rating. This rating serves as an objective measure to determine whether Bal Seal expectations are being met.
- 9.2. At Bal Seal's discretion, the Bal Seal Buyer may determine, that to address the supplier's performance deficiencies, a meeting with the supplier's management is necessary and a supplier documented corrective action and improvement plan is required.
- 9.3. The supplier is rated on the following criteria. Any category with a rating of equal of less than 80% may require corrective action from the supplier.

### 9.3.1. SUPPLIER RATING FACTORS

- Number of late shipments
- Number of discrepant material reports issued
- Number of corrective/preventive action requests issued